

Product Datasheet model super fit 9178 265

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics


- lightweight safety spectacles with hinged side arms, a sporty design and uvex x-stream technology
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- excellent wearer comfort guaranteed by the lightweight design

Technical details**Frame**

Material
Colour

Front piece

PA
blue

Material Colour	Temple TPE blue/transparent
Manufacturer's ID code Applicable EN norm Impact resistance Resistance to high speed particles at extremes of temperat. Conformity symbol	Marking W 166 F (45 m/s) T CE
Lens	
Material Thickness Coating Colour UV protection	PC 1,5 mm uvex supravision excellence clear UV 400
Filter Manufacturer's ID code Optical class Impact resistance Resistance to high speed particles at extremes of temperat. Surface resistance to fine particles Antifog Conformity symbol Factory symbol	Marking 2C-1,2 (DIN EN 170) W 1 F (45 m/s) T K N CE 

Miscellaneous

Weight

21 g

Packing

5 spectacles per box

200 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 170

PPE Category

Category II