

Safety Data Sheet

WHMIS 2015

Section 1: Company and Product Identification

1.1. Product Identification: CHEMICAL

Product Name: EUROSHIELD

Application: ANTI GRAFFITI COATING

1.2. Product use(s) and applications advised against:

Product use(s): ANTI GRAFFITI COATING

Applications advised against:Consult technical data sheet

1.3. Details of the Supplier of the Safety Data Sheet

Company: Chemiphase International Ltd

Ringtail Place Burscough Lancashire L40 8LA

Emergency Response:

CHEMTREC (24 hrs): +44 (0) 1704 894 808

Section 2: Hazards Identification

2.1 Classification of the Substance or Mixture

Hazard Category: Serious eye damage/eye irritation Cat 2

2.2 GHS Label Elements

Signal Word: Danger

Hazard Pictograms:

 \diamondsuit

Hazard Statements: H319: Causes serious eye irritation

Precautionary P264: Wash thoroughly after handling

Statements: P280: Wear protective gloves/protective clothing/eye

protection/face protection

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to

do – continue rinsing P35/+313: If eye irritation persists get medical

advice/attention

Section 3: Composition / Information on Ingredients

3.1 Hazardous Components

| Hazardous substance (name) | CAS# | Weight % |
|----------------------------|-----------|----------|
| ACRYLIC POLYMER | 9063-87-0 | 30 - 40 |
| DE-IONIZED WATER | 7732-18 | |
| WAX | | |
| | | |
| | | |

3.2 Other Information

No further information.

Section 4: First Aid Measures

4.1 Description of First Aid Measures

General Info: Product may give off vapors in affecting the inhalation route.

Ensure proper ventilation during application / curing. Seek medical treatment if any excessive exposures result in

symptoms.

If ingested: Rinse mouth. Seek medical attention if symptoms develop. Do

not induce vomiting.

If inhaled: Remove to fresh air. Obtain medical attention if respiratory

symptoms or other symptoms develop. Inhalation may result in asthmatic symptoms or respiratory sensitization - monitor

closely for symptoms of tightness in chest.

Eye contact: Flush eyes with plenty of water for at least 15 minutes.

Remove contact lenses if present and easy to do. Get medical

attention if irritation develops or persists.

Skin contact: Rinse with soap and water thoroughly. Get medical advice if

irritation develops or persists. A PEG-400 oil, or corn oil may

4.2 Most Important Symptoms and Effects, Acute and Delayed

Notable Exposure

symptoms:

An allergic or asthmatic response (sensitzation reaction), may

occur in some exposed individuals. If these symptoms occur,

Section 5: Fire Fighting Measures

5.1 Extinguishing Media Carbon dioxide (CO2), dry chemical, foam.

5.2 Special Hazards Arising from

Mixture

Direct fire hazard, highly flammable, gas.vapour flammable

with air. Indirect fire hazard

5.3 Advice for Firefighters /

Protective equipment

Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment. Direct water spray may

spread fire.

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and

procedures:

Clean/wipe up mechanically, manually. Wear appropriate protective equipment and clothing during clean-up operations. Avoid breathing vapors. Ventilate area if easy to do so.

6.2 Environmental Precautions: Prevent soil and water pollution

6.3 Methods and Materials for Containment and Cleanup Absord with a suitable non combustable material

6.4 References to Other Sections

For personal protection, see section 8 of the SDS. For disposal information, Section 13.

Section 7: Handling and Storage

7.1 Precautions for Safe Handling

Do not handle until all safety precautions have been read and understood. Ensure adequate ventilation. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

7.2 Recommendations for Storage: Store in cool area. Store away from strong acids or oxidizing agents. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

8.1 Components with Exposure Control

| Substances with Exposure Limits | CAS# | ACGIH- TWA | OSHA-PEL |
|------------------------------------|------|---------------|----------|
| N/A | | NA | NA |

8.2 Exposure Controls

Engineering Ensure proper ventilation in enclosed spaces.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face Safety glasses.

nrotection

Skin Protection: Wear chemical resistant gloves.

Respiratory Utilize organic vapor respirator if airborne levels are not maintained below

Protection: exposure limits, or if ventilation is inadequate.

Environmental No special considerations. Avoid release of material to surface waters.

Exposure

Additional Observe good chemical hygiene practices. Do not smoke or eat while using **Information:** this product. Wash hands or exposed skin after using the product. Cutting or

grinding of the product may release substances which require monitoring (see

Section 9: Physical and Chemical Properties

9.1 Physical/Chemical Properties

State: Liquid **Velting Point:** NA **Freezing** NA **Point:**

Color: Milky **Boiling** <u>100@°C @</u> **pH** 08.-10

Point/Range 760 mm Hg

Rel Density 1.032@20c°C Odor: Characteristic Water SOLUBLE

Solubility:

Evaporation rate: NA Flash Point: NA Part. Coeff NA

(n-

oct/water)

Upper Flam NA Lower Flam NA Vapor NA Limits: Pressure:

VOC Content (%): NA Viscosity: NA Autoignitio NA

n Temp:

9.2 Other Information No further information.

Section 10: Stability and Reactivity

10.1 Reactivity No additional information available

10.2 Chemical Stability Stable

10.3 Possibility of No additional information available

Hazardous Reactions

10.4 Conditions to Avoid extreme temperatures,

Avoid

10.5 Incompatible

Materials

Strong oxidisers, strong acids/bases.

10.6 Hazardous Carbon monoxide, carbon dioxide

Decomposition

Section 1: Toxicological Information

11.1 Information on Toxicological Effects

General Product has not been tested. Potentially irritating or sensitizing to respiratory

Information: system.

Acute Toxicity Not tested. Not expected to pose an acute oral toxicity hazard.

(Oral):

Acute Toxicity Skin contact is not expected to pose a dermal toxicity hazard.

(Dermal):

Acute Toxicity No further information.

(Inhalation):

Skin Corrosion / Skin irritant

Irritation:

Eye Corrosion / Eye / mucous membrane irritant.

Irritation:

Sensitization: Respiratory and skin sensitization reactions possible.

Carcinogenicity / Product contains ingredients which are suspect carcinogens.

Mutagenicity: Diphenylmethane 4,4'-diisocyanate, and analagous materials have been

suspected of causing carcinogenic effects in laboratory animal (GHS Cat 2).

Section 12 Ecological Information

12.1 Toxicity Product has not been tested. Product is not expected to have significant

deleterious effects on aquatic organisms, due to the nature of MDI and its

interaction with water.

12.2 Persistence and

Degradability

No specific data available. Product is not expected to rapidly degrade.

12.3 Bioaccumulation

No specific data available. Product is not expected to bioaccumulate in

Potential biological tissue.

12.4 Mobility in Soil No further information available.

12.6 Other information No further information available.

Section 1: Disposal Information

13.1 Waste Treatment Methods

Product disposal: Dispose of product in accordance with local, regional, and national

regulations. Consult with waste contractor.

Container Packaging of product may contain small amounts of residual product which

disposal: can be discarded.

Other No further information.

considerations:

Section 14: Transport Information

UN: No dangerous good in sense of transport regulations

CLASS NA

PACKING GROUP NA

PROPER NA

SHIPPING NAME:

OTHER: No further information

Section 15: Regulatory Information

TSCA: All components listed on the TSCA 8(b) inventory.

CERCLA RQ: Not applicable

SARA 311/312: Immediate (acute), delayed (chronic) health hazards.

SARA 313 Isocyanate compound (N120), ~25%

California Prop 65 Product contains California Proposition 65 substances in small quantities

Substances: (carbon black, cumene, ethylbenzene)

Canadian DSL: All substances in product are listed on the DSL.

WHMIS: See Section 3 for disclosure substances, if applicable. Product is classified in

accordance with WHMIS 2015.

Section 16: Other Information

SDS Author: Product Safety Dept. Version Dat ###

DISCLAIMER The information provided in this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.