

FEATURES



Anti-Static



Fibreglass Toecap



Fuel Oil Resistant Outsole



PS Rated Aramid Protective Midsole



SR Slip Resistance



Waterproof Membrane



Fully Sustainable Packaging



Smaller Sizes



Women's Fit



Heat Resistant Outsole to 300°C

Product Details

Colour: Black
Size Range: UK 3 - 8
Height: 5 inches
Weight: 588g



INDUSTRIES



Construction



Engineering



House builders



Automotive and Aerospace



Agricultural



Rail



Highways



Emergency Services

PRODUCT DESCRIPTION

Anti-Static, Fibreglass Toecap, Fuel Oil Resistant Outsole, Fully Sustainable Packaging, Fully Waterproof, Heat Resistant Outsole to 300°C, PS Rated Aramid Protective Midsole, Recycled Materials, Small Sizes, SR Slip Resistance, Water Repellent Upper, Womens Fit, 100% Non-Metallic Construction

MATERIAL BREAKDOWN

Upper Material

Water Repellent Full Grain Leather, LWG Certified

Lining

60% Post Consumer Recycled Polyester + 40% Nylon

Membrane

Activ-Tex® Waterproof + Breathable Membrane

Pull Loop

Leather as upper

Footbed

Activ-step® PU foam + 100% Recycled Polyester Top Mesh

Protective Toecap

Fibreglass

Protective Midsole

Activ-Step® Aramid Fibre

Outsole

Nitrile Rubber

TECHNOLOGIES & ACCREDITATIONS



More info on this style at:

**WWW.ROCKFALL.COM/
PRODUCTS /ONYX/**

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom

| Category | SB | S1 | S2 | S3/L/S | S4 | S5/L/S | S6 | S7/L/S |
|--|----|----|----|--------|----|--------|----|--------|
| Class 1 | ✓ | ✓ | ✓ | ✓ | × | × | ✓ | ✓ |
| Class 2 | × | × | × | × | ✓ | ✓ | × | × |
| 200 Joules Toecap | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Closed heel Area | × | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Energy Absorption Of Seat Region | × | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Anti-Static | × | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Water Penetration And Absorption | × | × | ✓ | ✓ | × | × | ✓ | ✓ |
| Perforation Resistance According To The Type | × | × | × | ✓ | × | ✓ | × | ✓ |
| Cleated Outsole | × | × | × | ✓ | × | ✓ | × | ✓ |
| Water Resistance Of The Entire Shoe | × | × | × | × | × | × | ✓ | ✓ |

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification **does not** necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for you feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out,.

More info on this style at:

**WWW.ROCKFALL.COM/
PRODUCTS/ONYX/**

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom



SATRA

Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/15490-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product Ref:

Rock Fall VX950A ONYX
Rock Fall VX950C ONYX
Rock Fall RF953 Sapphire

Description:

| | |
|-------------------------|--|
| Design Type: | Ankle boot (Design B) |
| Upper: | Black waxy leather, Honey/Navy nubuck |
| Tongue: | Black/Honey suede, Black PU |
| Collar: | Black PU |
| Tongue Lining: | Black sandwich mesh |
| Collar Lining: | Black sandwich mesh |
| Vamp Lining: | Black/White flat lunar backed waterproof membrane |
| Quarter Lining: | Black/White flat lunar backed waterproof membrane |
| Counter Lining: | Black/White flat lunar backed waterproof membrane |
| Insole: | PEP- Composite |
| Perforation Resistance: | Non-metallic perforation resistance insert referenced PEP- Composite |
| Toe Protection: | Non-metallic top cap referenced PEP- Composite |
| Last Reference: | #PEP-PL |
| Soling Construction: | Cemented |
| Midsole Material: | NA |
| Outsole Material: | Black/Honey rubber |
| Sole Reference: | 2061#RB |
| Insock/Footbed: | Orange mesh with PU full removable insock |
| Fastening System: | 3 eyelets and 2 closed ski hooks with the lace |
| Scuff Cap: | NA |
| Heel Cap: | NA |
| Size Range: | UK 3-13 |

Classification:

EN ISO 20345:2022 S7S FO HRO SR

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:
List of test reports in the approved technical file

Signed on behalf of SATRA:

Kayleigh Aylward

Date first issued: 17/12/2020

Date of issue: 22/09/2025

Expiry date: 22/09/2030

EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL VX950A Onyx Black

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022+A1:2024**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/15490-02/E00-00**

The PPE is subject to the procedure set out in **Module C2** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", is written over a large, light gray, stylized mountain peak graphic that spans the bottom right of the page.

Position: Director

Date: **22.09.2025**